## WE CLAIM:

- 1. A breathable, stretch-thinned film, comprising:
- a matrix polymer;
- a calcium carbonate filler; and
- a polymer incompatible with the matrix polymer.
- 2. The stretch-thinned film of Claim 1, wherein the matrix polymer comprises a linear low density polyethylene.
- 3. The stretch-thinned film of Claim 1, wherein the matrix polymer comprises an ultra low density polyethylene.
- 4. The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises a propylene polymer.
- 5. The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises polypropylene.
- 6. The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises a propylene-ethylene copolymer.

KCC-1149 20 MR/S

- 7. The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises polystyrene.
- 8. The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises nylon.
- 9. The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises polyester.
- 10. The stretch-thinned film of Claim 1, wherein the film comprises a laminate waste material which includes the polymer incompatible with the matrix polymer.
- 11. An absorbent article comprising the stretch-thinned film of Claim1.

KCC-1149 21 MR/S

12. A breathable, stretch-thinned film, comprising at least one layer, the layer including:

between about 20% and 80% a matrix polymer;

between about 20% and 80% a particulate inorganic filler; and between about 0.1% and 25% a polymer incompatible with the matrix polymer.

- 13. The stretch-thinned film of Claim 12, wherein the matrix polymer comprises a linear low density polyethylene.
- 14. The stretch-thinned film of Claim 12, wherein the matrix polymer comprises an ultra low density polyethylene.
- 15. The stretch-thinned film of Claim 12, wherein the matrix polymer comprises a linear low density polyethylene and an ultra low density polyethylene.
- 16. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises a propylene polymer.

KCC-1149 22 MR/S

- 17. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises polypropylene.
- 18. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises a propylene-ethylene copolymer.
- 19. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises polystyrene.
- 20. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises nylon.
- 21. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises polyester.
- 22. The stretch-thinned film of Claim 12, wherein the film comprises a laminate waste material which includes the polymer incompatible with the matrix polymer.
- 23. The stretch-thinned film of Claim 12, wherein the matrix polymer comprises between about 25% and 65% of the film layer.

KCC-1149 23 MR/S

- 24. The stretch-thinned film of Claim 12, wherein the matrix polymer comprises between about 30% and 50% of the film layer.
- 25. The stretch-thinned film of Claim 12, wherein the particulate inorganic filler comprises between about 35% and 70% of the film layer.
- 26. The stretch-thinned film of Claim 12, wherein the particulate inorganic filler comprises between about 40% and 60% of the film layer.
- 27. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises between about 1% and 20% of the film layer.
- 28. The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises between about 2% and 10% of the film layer.
- 29. The stretch-thinned film of Claim 12, wherein the film further comprises at least one skin layer.

KCC-1149 24 MR/S

- 30. The stretch-thinned film of Claim 12, wherein the film further comprises at least two skin layers.
- 31. An absorbent article comprising the stretch-thinned film of Claim 12.
  - 32. A breathable laminate, comprising:

    a breathable film including a matrix polymer, a polymer incompatible with the matrix polymer, and a particulate filler; and a nonwoven web.
- 33. The breathable laminate of Claim 32, wherein the matrix polymer comprises a linear low density polyethylene.
- 34. The breathable laminate of Claim 33, wherein the matrix polymer further comprises an ultra low density polyethylene.
- 35. The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises a propylene polymer.

KCC-1149 25 MR/S

- 36. The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises polypropylene.
- 37. The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises a propylene-ethylene copolymer.
- 38. The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises polystyrene.
- 39. The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises nylon.
- 40. The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises polyester.
- 41. The breathable laminate of Claim 32, wherein the film comprises a laminate waste material which includes the polymer incompatible with the matrix polymer.
- 42. The breathable laminate of Claim 32, wherein the nonwoven web comprises a spunbond web.

KCC-1149 26 MR/S

- 43. The breathable laminate of Claim 32, wherein the nonwoven web comprises a meltblown web.
- 44. The breathable laminate of Claim 32, wherein the nonwoven web comprises an air laid web.
- 45. An absorbent article comprising the breathable laminate of Claim 32.

KCC-1149 27 MR/S